

Tool Division









PRODUCT CATALOC



TABLE OF CONTENTS

PRODUCT	PAGE #
ACCESSORY TOOLS	2
AIR TOOLS	3
DRILL CHUCKS	3
DRILL BITS	4
DYN-O-TIE INSTALLATION TOOL	4
HAMMERS	4
HOLE CUTTER & REPLACEMENT BITS	5
HVAC TOOLS	5-6
KNIVES & REPLACEMENT BLADES	7
MAGNETIC MATERIALS HANDLER	7
PLIERS	7
RIVET GUN	7
SNIPS, SHEARS, SCISSORS & SNIP ACCESSORIES	8-9
TAPES & RULES	10
TOOL STARTER KIT	11
WIRE CUTTERS	11
WRENCHES	11

ACCESSORY TOOLS

Duct Stretcher - Offset

Used to pull duct together from either direction with a single hand. The offset design eliminates knuckle contact with the duct. Adjustable wheels allow for varying distances. It has a non-slip handle grip.

Item #	Description	L x W inches x inches	Shelf Pack Wt. lb.	Shelf Pack
818140	ODS15	15 x 1/2	2.50	1



Circular Steel Gage

A circular gage is made of heavy steel and is used for determining steel thickness from 0 through 36 gage. Manufactured with 300 series Stainless Steel. It comes with it's own protective storage case.

Item #	Description	Diameter inches	Shelf Pack Wt. lb.	Shelf Pack
818015	323W	3-3/8	0.18	1



Edge Scribe

The stainless steel edge scribe provides a simple and easy marking of metal sheets. An attached magnet helps keep the tool within reach. It marks dimensions of 1/8", 3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/8", 1/2", 5/8", 3/4", and 1".

Item #	Description	Shelf Pack Wt. lb.	Shelf Pack
10015	DDX Stainless Steel Magnetic Edge Scribe	1.5	20



AIR TOOLS

Duro Gun & Accessories

The Duro Air Gun is a multi-function pneumatic tool. When used with an assortment of specialized chisels, it takes the pain out of closing Pittsburgh locks, Locking hollow vane to rail, and setting rod locks & D-Studs into conduit to the perfect depth. The Duro Air Gun (DAG) is sold without a tip and utilizes 90 PSI.

Item #	Description	Shelf Pack Wt. lb.	Shelf Pack
13113	DAG Duro Air Gun	TBD	1
13116	PT Pittsburgh Locking Tool	TBD	1
13117	VLT Vane Locking Tool	TBD	1
13118	DST D-Stud Insertion Tool	TBD	1
13119	DLT Dyn-O-Loc Insertion Tool	TBD	1



Dyna-Hammer

The Dyna-Hammer puts an end to manual hammering. Radius fittings and straight line duct get powerfully knocked down at approximately 20 feet per minute on 14 to 30 gauge metal. Features an ergonomic, multi-stage trigger throttle, for better control during use. Included multi-directional air hose swivel prevents hose restriction during operation. Manufactured of 100% high grade tool steel for durability and trouble-free years of use.

		Shelf Pack Wt.	Shelf	
Item #	Description	lb.	Pack	
13063	PDH Dyna-Hammer	TBD	1	



DRILL CHUCKS

Drill Screw[™] Chucks

Duro Dyne chucks are made of hardened steel and utilize a permanent magnet to keep screws firmly in place. The hex shank is designed to fit most drill motors and screw "guns". DCL-14 is utilized with screws having a 1/4" head. DCL-516 is utilized with screws having a 5/16" head.

ltem#	Description	Overall Length inches	Shelf Pack Wt. lb.	Shelf Pack (Minimum)
16018	DC14	1-3/4	1	10
16019	DC516	1-3/4	1	10
16008	DCL14	2-5/8	1.50	10
16009	DCL516	2-5/8	1.50	10
16015	DCXL14	6	1.00	1
16016	DCXL516	6	1.00	1
Bulk Pac	k			
16021	DC14B	1-3/4	15	100
16022	DC516B	1-3/4	15	100
16012	DCL14B	2-5/8	13-3/4	100
16013	DCL516B	2-5/8	15	100
16024	DCXL14B	6	22	100
16025	DCXL516B	6	22	100



DRILL BITS

Super T Bits

Duro Dyne Drill Bits have a 135° split point which starts and cuts quickly without walking. Specially hardened high vanadium steel makes the bit harder and longer lasting than many others on the market. A heavy web makes the bit more flexible to minimize breakage.

Item #	Description	Size	Decimal Size	Overall Length in inches +/- 1/8	Shelf Pack Wt. lb.	Shelf Pack (minimum)	
24004	TD-1/8	1/8	.1250	1-7/8	.25	10	
24005	TD-30	#30	.1285	1-15/16	.25	10	
24010	TD-3/16	3/16	.1875	2-3/16	.25	10	
24012	TD-7/32	7/32	.2187	2-3/8	.25	10	
24013	TD-1/4	1/4	.2500	2-1/2	.25	10	
24014	TD-9/32	9/32	.2812	2-11/16	.25	10	
24020	TDB-1/8	1/8	.1250	1-7/8	1	100	
24021	TDB-30	#30	.1285	1-15/16	1	100	
24028	TDB-7/32	7/32	.2187	2-3/8	1	100	
24029	TDB-1/4	1/4	.2500	2-1/2	1	100	
24030	TDB-9/32	9/32	.2812	2-11/16	1	100	



DYN-O-TIE INSTALLATION TOOL

This DIT-3 gun is commonly used to install most makes of nylon duct ties. For nylon ties, tighten the tie with the gun until the proper tension is reached and then squeeze the secondary handle to clip off the excess tie material.

Item#	Description	Overall Length inches	Shelf Pack	
7343	DIT-3	1	1	



HAMMERS

Steel Tinner's Hammer

It is available in one convenient weight. This 18 ounce hammer is made of one piece polished solid steel with an industrial strength rubber grip fastened securely in place.

Item#	Description	Head Wt. oz.	Overall Length Inches	Shelf Pack Wt. lb.	Face	Shelf Pack
838396	DDTH18 - Rubber Grip	18	11-3/4	1.90	Polished	1



Double Headed Hammer

16 ounce Double Headed Hammer with 2 powerful magnets embedded in its head, easily keeps fasteners in place. Ergonomic, comfort grip is slip-resistant. Works great with Duro Dyne standard Bangers & Duro Dyne proprietary Tripod Bangers.

Item#	Description	Head Wt. oz.	HandleLength Inches	Shelf Pack Wt. lb.	Face	Shelf Pack
27064	RBH2	16	13	TBD	Magnetic	1



Wood Mallet

Item#	Description	Head Wt. oz.	Overall Length Inches	Shelf Pack Wt. lb.	Face	Shelf Pack	
818262	DM16 - Wood Mallet	16	11-3/4	1.90	Polished	1	



HOLE CUTTER

Hole Cutter

The hole cutter will cut holes in light gage metal, aluminum, plastics and Formica up to a maximum hole diameter of 12". It has an easy read scale from 2" to 12".

Item#	Description	Minimum Diameter inches	Maximum Diameter inches	Shelf Pack Wt. lb.	Shelf Pack	
818269	TCH12	2	12	1	1	



Hole Cutter Replacement Bit

The replacement bit is a three fluted cutting bit. This mill style bit is designed to cut from the side. The bit comes with the drill attachment rod and a safety cap.

Item#	Description	Shelf Pack Wt. lb.	Shelf Pack
818264	TCH12RB	2 oz.	6



HVAC TOOLS

Magnetic Drift Pin Ratchet Tool

The 9" long Magnetic Drift Pin Ratchet tool end allows you to align two corners in a flange connection with ease. The 9/16" reversible ratchet allows for easy tightening and loosening of standard 3/8" nuts & bolts commonly used in flange connections. The Magnetic Wrench Insert holds the wrench in a fixed position to the nut or bolt to prevent slippage.

Item#	Description	Shelf Pack Wt. lb.	Shelf Pack	
13289	MDPR916 Magnetic Drift Pin Ratchet Tool	TBD	1	
13107	MWI916 Magnetic Wrench Insert	TBD	1	



Pittsburgh Lock Opening Tool

The Magnetic Pittsburgh Lock Opening Tool is used to open a longitudinal seam used in the fabrication of sheet metal ductwork. Strong magnet secures tool to ductwork.

ltem#	Description	Shelf Pack Wt. lb.	Shelf Pack	
10058	MPOTS A	TRD	1	



Cleat Tools

The lightweight Universal Magnetic Cleat Tool pulls the ductwork tight while installing the cleat on all size duct connections. The magnet keeps the cleat in place during installation & the end of the tool aids in removing the cleat from duct. The Deluxe Cleat Tool pulls the ductwork tight while installing the cleat on duct connections over 48''.

Item#	Description	Shelf Pack Wt. lb.	Shelf Pack	
13124 21051	UMCT2 Universal Magnetic Cleat Tool DCTDOM Deluxe Cleat Tool	TBD 1	1	
21001	BOIDOW BOIMAC CICAL TOOL	1		



Vane Dimpler

The Vane Dimpler replaces tack welding, chiseling, or other awkward and time consuming methods. It can be used on the vane before or after placement on the rail. Either way, its locked tight!

Item#	Description	Shelf Pack Wt. lb.	Shelf Pack	
21062	DOM6	1	1	



Crimper Tool

The Dyn-O-Mate Crimper installs the TDC or TDF corner and crimps the edge over to hold the corner in place.



Item#	Description	Shelf Pack Wt. lb.	Shelf Pack	
21072	DOMCRMP	2	1	

3-Blade Hand Crimper

An ideal tool for repairs in the field, it has a matte black finish with red Plastisol grips. It is a compound action tool for crimping up to 22 and 24 gauge sheet metal.

Item#	Description	Throat Depth inches	Overall Length inches	Shelf Pack Wt. lb.	Shelf Pack	
822002	WC3S	1-1/4	9-1/4	2.63	3	



5-Blade Hand Crimper

An ideal tool for joining sheet metal pipes of the same size. The pipes can be corrugated, round or square. It is great for repairs in the field. It has a matte black finish with red plastisol grips. It is a compound action tool for crimping up to 22 and 24 gage.

Item#	Description	Throat Depth inches	Overall Length inches	Shelf Pack Wt. lb.	Shelf Pack	
822006	WC5S	1-1/4	9-1/4	3.00	3	



Hand Notcher

The notcher has high leverage compound action handles for fast and easy cutting. It produces a true 30° V-shaped cut in sheet metal. The tool features clean notching without slippage. It has a matte black finish with red plastisol grips.

		Jaw Depth	Cutting	Overall Length	Shelf Pack Wt.	Shelf	
Item#	Description	inches	Angle	inches	lb.	Pack	
822010	WHN1	13/16	30°	8-1/2	3.00	3	



Hand Seamer

The seamer has high leverage compound action handles for easy metal bending and flattening. It produces a permanent tight fitting seam. The jaw has 1/4" incremental depth marks. The tool has a matte black finish with red plastisol grips. It is recommended for use on steel up to 18 gage.

Item#	Description	Jaw Depth inches	Jaw Width Inches	Overall Length inches	Shelf Pack Wt. lb.	Shelf Pack	
822014	WS3	1/4 – 1-1/4	3-1/4	8-3/4	4.31	3	



Offset Hand Seamer

The seamer has high leverage, offset, compound action handles for easy metal bending and flattening. It produces a permanent tight fitting seam. The jaw has 1/4" incremental depth marks. The tool has a matte black finish with red plastisol grips. It is recommended for use on steel up to 18 gage.

·	0 0		Overall			
Item#	Description	Jaw Depth inches	Jaw Width Inches	Length inches	Shelf Pack Wt. lb.	Shelf Pack
822021	WS4	1/4 – 1-1/4	3-1/4	8-3/4	8.63	3



KNIVES & REPLACEMENT BLADES

SAK6 - 6in Stainless Steel Knife with Sheath

Stainless steel knife with one edge of the blade serrated while the opposite edge is smooth. Super sharp point ideal for cutting a wide variety of insulations, including but not limited to: fiberglass, cotton, and rubbar

ber!		Dimensions	Shelf Pack Wt.	Shelf
Item#	Description	inches	lb.	Pack
818267	SAK6 - 6in Stainless Steel Knife with Shec	ith TBD	TBD	1



WK8V Knife - Retractable Blade

A popular all purpose retractable knife for home, professional and industrial use. The easy run slide can use all Wiss RWK replacement blades. It has four blade positions including retracted.

		Sneir	Case	
Item#	Description	Pack	Qty.	Skid
823001	WK8V	12	48	1728



RWK14 Replacement Blade - Rapid-Change[™] Heavy Duty .025" Carded, Wrapped, Bulk, Dispenser

This is the most popular heavy duty blade for industrial, professional and home applications. It also fits the WK-8 knife.

Item#	Description	Shelf Pack	Case Qty.	6 Case Qty.
823038	RWK14V - Blade - Carded	20 Cards - (100 Blades)	400 Cards - (2000 Blades)	2400 Cards - (12,000 Blades)
823041	RWK14D - Blades in dispenser	Dispenser - (100 Blades)	•	120 Dispensers (12,000 Blades)





MAGNETIC MATERIALS HANDLER

This lightweight magnetic materials handler, with five pounds of holding power, has a "T" handle release. It is designed for easy one-hand operation.

Item#	Description	Dimensions inches	Shelf Pack Wt. lb.	Shelf Pack
22003	Mighty Mag	9 x 5 x 2	2.48	1



LOCKING PLIER

Locking Seamer

Item#	Description	Overall Length inches	Shelf Pack Wt. lb.	Shelf Pack	
818322	DDLS8	8	1.15	1	



RIVET GUN

Designed for 1/8", 5/32", 3/16" diameter rivets. The pin from installed rivets is released through the front of the tool. The tool is made of cast aluminum alloy with plastic handle grips for comfort.

Item#	Description	Approx. Ctn. Dim. in. x in. x in.	Shelf Pack Wt. lb.	Shelf Pack	
22110	DDPR6 for Rivet of 1/8", 5/32", 3/16"		2	1	



Metalmaster® Compound Action Snips
The non-slip serrated jaws of Wiss Metalmaster snips are made of tough, wear-resistant molybdenum steel to provide the durability demanded by the compound lever action and to withstand the severe strain of cutting heavy stock or tight curves. The handles are formed of special high strength steel and have a margin of strength far above the amount of hand pressure that can be applied.

Item#	Description	Overall Length inches	Length of cut inches	Recommended max. capacity low carbon cold rolled steel	Shelf Pack Wt. lb.	Shelf Pack
820001	M1R - cuts left from tight curves to straight-red grips	9-3/4	1-3/8	18 Gage Steel - 0.049"	5.25	6
820004	M2R - cuts right from tight9-3/4 curves to straight-red grips	1 1-3/818	Gage St	reel - 5.25 0.049"	6	
820007	M3R - cuts straight (or wide curves left or right in light stock). For most metal curequirements of the home cre man yellow grips	0	1-1/2	18 Gage Steel - 0.049"	5.25	6



Metalmaster® Special Series Snips

Metalmaster special series snips utilize a hardening process designed for unusual industrial requirements such as cutting today's space age metals, like inconel, stainless steel and titanium.

Item#	Description		of cut	Recommended max. capacity low carbon cold rolled steel	Shelf Pack Wt. lb.	Shelf Pack
820014	M1R-S1 - Cuts left - Blue Grips	9-3/4	1-3/8	18 Gage Steel - 0.049"	84	6
820015	M2R-S1 - Cuts right - Blue Grips	9-3/4	1-3/8	18 Gage Steel - 0.049"	84	6



Metalmaster® Compound Action Bulldog Snip

This snip is designed for notching or trimming extra heavy stock.

Item#	Description	Length	of cut	Recommended max. capacity low carbon cold rolled steel	Shelf Pack Wt. lb.	Shelf Pack
820018	M5R - Red Grips curves to straight-red o	9-1/4 arios	7/8	18 Gage Steel - 0.65"	4.38	6



Metalmaster® Offset Snips

Offset blades keep the material being cut away from hands and allow straight or circle cuts to be made easily. The handles are color coded for easy blade identification; red grips circle left, green grips circle right.

Item#	Description	Overall Length inches	of cut	Recommended max. capacity low carbon cold rolled steel	Shelf Pack Wt. lb.	Shelf Pack
820010	M6R - Red Grips circle left	9-1/4	1-1/4	18 Gage Steel - 0.049"	5.25	6
820011	M7R - Green Grips circle right	9-1/4	1-1/4	18 Gage Steel - 0.049"	5.25	6



HVAC Compound Action Pipe & Duct Snip

The cutting jaws are formed of high carbon tool steel. The handles are formed of special high strength steel and have a margin of strength far above the amount of hand power that can be applied. Widely used in the HVAC industry as a pipe and duct snip & is popular for cutting many rigid non-metallic sheet materials such as fiberglass panels, decorative plastic kitchen laminates*, synthetic shingles, flooring materials and more. It features a patented ball-bearing jaw action that automatically adjusts the blade clearance for squarer, cleaner cuts. It cuts a 11/64" wide strip and curls it away from the operator's hands. *When cutting laminates, the finished surface should be on the side of the center blade to avoid excessive cracking.





Bulldog Pattern Snip

Bulldog snip provide greater cutting power for notching, nibbling and chopping heavy stock. Cushion grip red handles provide comfort and better grip.

Item#	Description	Length	of cut	Recommended max. capacity low carbon cold rolled steel	Shelf Pack Wt. lb.	Shelf Pack
821019	W5N	16-1/2	2-1/2	16 Gage Steel - 0.065"	3.63	1



Duckbill Combination Pattern Snip

Duckbill pattern snip feature the advantage of cutting moderately tight curves to the left or right in light stock as well as cutting straight. The Duckbill snip is very popular with both home craftsman and professional artisans for light duty metal cutting because of its great versatility. Cushion grip red handles provide comfort and better grip.

Item#	Description	Length	of cut	Recommended max. capacity low carbon cold rolled steel	Shelf Pack Wt. lb.	Shelf Pack
821010	V19N	13	3	21 Gage Steel	13.44	6



Straight Pattern Snips

Straight pattern snips are primarily for straight cuts although they can cut wide curves when trimming light gage stock. The inside face of the blade is flat which tends to guide the tool along a straight cut. Cushion grip red handles provide comfort and better grip.

Item#	Description		of cut	Recommended max. capacity low carbon cold rolled steel	Shelf Pack Wt. lb.	Shelf Pack
821016	W7N	14-1/2	4	18 Gage Steel - 0.065"	3.63	1
821001	A13N	7″	1-3/4	23 Gage Steel	5.50	6



Heavy Duty Industrial Shears - INLAID® Blades

The black handled snip has hot drop-forged and polished blades with the patented SET-EASY® pivot.

Item#	Description	Overall Length inches	Length of Cut inches	Shelf Pack Wt. lb.	Shelf Pack	
824069	W22N	12-1/4	6-1/8	6.75	6	




PES & RULES

Red End® Folding Wood Rule

The rule is white and marked on both sides, both edges to 1/16ths. 16 inch stud centers are marked in red. The 066 is regular outside reading. The 066F is inside reading, keeping the measurement close to work.

Item#	Description	W x L inches x feet	Shelf Pack Wt. lb.	Shelf Pack
812010	066F	5/8 x 6	1.64	6



Red End® - Two Way® Folding Wood RuleThis rule is for measuring left to right and right to left. Flat, inside markings lie close to the work. It is marked both sides, both edges in feet, inches and 1/16ths.

Item#	Description	W x L inches x feet	Shelf Pack Wt. lb.	Shelf Pack
812016	966	5/8 x 6	1.70	6



700 Series Magnetic End Hook

The magnetic end hook is a time saver for HVAC installers, framers and all contractors where metal beams or nails are used. It is great for one-man operations. Powerful, dual magnets hold the tip firmly in position and can also serve as a pick-up tool. It has a non-slip molded rubber grip and the steel reinforced end hook along with the clear coated blade ensure long life.

Item#	Description	W x L inches x feet	Blade Style	Shelf Pack Wt. lb.	Shelf Pack	
810171	L725MAG	1 x 25	A5	8.72	8	



Series 1000 Power Tapes

Tapes have an improved high-visibility blaze orange label and a black ergonomic grip case made of high impact plastic. The top-positioned toggle lock provides sure control and a rubber shock absorber cushions the easy to read blade return. The tapes have a removable belt clip and a virtually unbreakable end hook.

Item#	Description	W x L inches x feet	Blade Style	Shelf Pack Wt. lb.	Shelf Pack	
810162	HV1312	3/4 x 12	A2	2.4	6	
810163	HV1316	3/4 x 16	A2	2.9	6	



TOOL STARTER KIT

Tool Starter Kit

This starter set includes all of the hand tools necessary for both the sheet metal craftsman as well as the apprentice.

Item#	Description	L x W x H in. x in. x in.	Shelf Pack Wt. lb.	Shelf Pack		
818320	TKS1 - Hand Tool Starter Kit	12-1/2x12-1/2x16-1/2	24.8	1 '		
Includes:						
820001	M1R - Wiss Metalmaster Avid	ation Snips - Cuts left -	18 gage capacity	1		
820004	M2R - Wiss Metalmaster Avia	ation Snips - Cuts right	- 18 gage capacity	1		
820007	M3R - Wiss Metalmaster Snips - Cuts Straight - 18 gage capacity					
820018	M5R - Wiss Metalmaster Snips - Bulldog - for notching or trimming - 16 gage capacity					
822018	M4R - Wiss Metalmaster Avia	ation Snips - for pipe &	duct, & non-metallic sheet	1		
	material - 20 gage capacity	/				
822002	WC3S - Wiss 3-Blade Crimpe	r		1		
822010	WHN1 - Wiss Notcher					
822014	WS3 - Wiss Hand Seamer			1		
823001	WK8V - Wiss Retractable Bla	de (4 positions)		1		
823038	RWK14V - Wiss Heavy Duty (1		
10015	SSES - Duro Dyne stainless ste	eel magnetic edge sc	cribe	1		
838396	DDTH18 - 18 oz. Tinner's Han	nmer		1		
16008	DCL14 - Duro Dyne hex shar	nk Drill Chuck - 2-5/8" I	ong - for 1/4" hex head screws			
216009	DCL516 - Duro Dvne hex sho	ank Drill Chuck - 2-5/8"	long - for 5/16" hex head screws	2		



Included free with purchase:

• Shop Apron

- (100) pack of screws - HH Pro-Points
- (100) pack of screws - HH Sabers
- Bucket & Bucket Wrap

WIRE CUTTERS

Pocket Wire Rope Cable Cutter

This top quality pocket-size cutter is perfectly designed to cut up to 1/8" wire rope, cable, piano wire or aircraft cable. It has plastisol handles and exposed metal surfaces are coated with a rust preventative finish. The spring action shear-cut blades automatically open when handle pressure is removed.

Item#	Description	Weight lb.	Overall Length inches	Cable cap inches
818263	DTWRCL - 8.5" Wire Cutter	1	7-1/2	WC6-CL23
30344	DTWRC12 - Hand Held Wire Rope Cutter for WC8-CL25 (3 ONLY	19	WC8-CL25



Hex Key Sets

The 9 pc. fold up key set contains two types of wrenches; the six smaller sizes, (5/64, 3/32, 7/64, 1/8, 9/64 and 5/32, have chamfered ends, while the three larger sizes, (3/16, 7/32, and 1/4), are ball points. The ball points allow angled entry up to 25°. All hex keys are manufactured from industrial quality hardened steel. This sturdy unit is designed with a strong, but lightweight, high visibility, ergonomically designed hardened plastic case for comfort and longevity. The 12 piece L-wrench design is packaged in a key case that will lock the wrenches in place. Simply slip wrenches into their individually marked slots and twist to lock them securely in place. The sizes range from .050 to 5/16". The short side of the L-wrench is designed with a chamfered end while the long side has a ball point for those hard to reach places. The ball points allow entry up to 25°. All wrenches are manufactured from hardened steel.

Item#	Description	Socket Size sinches	Shelf Pack Wt. lb.	Shelf Pack	
818100 818102	FKS9 BLX12	5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1, .050 - 5/16	/4 8 oz. 9 oz.	1 1	



Please Visit Our Website www.durodyne.com for the most current product information.







Duro Dyne Corporate Headquarters, Bay Shore, NY
631-249-9000 • Fax: 631-249-8346

Duro Dyne Midwest • Duro Dyne West • Duro Dyne Canada
www.durodyne.com • E-mail: durodyne@durodyne.com

